

Company:Iggesund PaperboardSite:Workington MillProduct:Incada family		Kg fossil CO ₂ per tonne of board	300 250 200 150			
Carbon footprint			100			
Iggesund Paperboard calculates the Carbon Footprint of its mills based on the ten elements ("toes") and the guidelines given in the CEPI publica- tion "Framework for the develop- ment of carbon footprints for paper and board products". The framework is available at www.cepi.org. The carbon footprint is updated annually and based on average figures from the previous year.			50			
			50 ——	_	-	_
	2		100 —— 150 ——	_	-	
			200 ——			<u> </u>
			250 ——			<u> </u>
			300 ——			<u> </u>
			350 ———			<u> </u>
			400 —			<u> </u>
	 Transports up to leaving mill Purchased energy 		450 ———			-
	Added raw materials Growth and harvest of fibres Pulp and paper production Carbon sequestration in forests Green electricity to grid	- S	500 ———			<u> </u>
			550 ———			<u> </u>
			600 ———			—— ;
			650 ——			

The ten elements of the CEPI Framework

		FOSSIL CO ₂ (kg/tonne board)
1 2 3 4 5 6 7	Carbon sequestration in forests Carbon in forest products Net sequestration of CO ₂ *Biogenic CO* ₂ (kg/tonne board) Emissions from product manufacturing facilities Emissions associated with producing fibres Emissions associated with producing other raw materials and fuels Emissions associated with purchased electricity, steam and heat Transport related emissions, excl. transport to customer	-610* N.A. See below -610 157 13 79 0 43
	Total emission fossil CO ₂ , elements 3-7	292
8 9 10 alt.1 10 alt.2	Emissions associated with product use Emissions associated with product end-of-life Avoided emissions, estimate of maximum potential Avoided emissions due to sale of renewable power from site	N.A. See below N.A. See below -1200 -161

Comments and explanations to the ten elements of the CEPI framework

1	Carbon sequestration in forests	Growing forests sequester carbon. The quoted figure is calculated by dividing the net CO ₂ sequestration in Holmens own Forests by yearly tonnage produced of all Holmen products.*
2	Carbon in forest products	Biogenic carbon stored in the products. Not considered applicable due to time scale well below 100 years. This carbon content is accounted for in element 10, avoided emissions.
3	Emissions from product manufacturing facilities	Fossil CO ₂ emissions from combustion of fossil fuels during pulp and paperboard production, including purchased pulp. Iggesund Workington has significantly reduced the use of fossil fuels in energy production by Installing a dedicated Biomass fuelled (CHP) Plant.
4	Emissions associated with producing fibres	Fossil \rm{CO}_2 emissions from forest management and harvesting.
5	Emissions associated with producing other raw materials and fuels	Fossil CO ₂ emissions from production of non-wood based raw materials and fuels.
6	Emissions associated with purchased electricity, steam and heat	Fossil CO ₂ emissions associated with purchased electricity.
7	Transport related emissions, excl. transport to customer	Fossil CO ₂ emissions from transport of harvested wood, purchased pulp and other raw materials. Transport to customer is not included as this varies strongly from case to case dependent on transport mode and distance. The emissions related to transport to customer can on request be calculated separately for specific cases.
8	Emissions associated with product use	Not applicable for Iggesund Paperboard as a board producer.
9	Emissions associated with product end-of-life	Not applicable for Iggesund Paperboard as a board producer.
10	Avoided emissions	Avoided emissions of fossil CO ₂ by incinerating paperboard waste with energy recovery, which can be viewed as replacing oil as fuel.
		Alt.1 is the maximum potential, if 100% of the board is incinerated.
		Alt.2 is based on actual sales of renewable power Jan-Dec 2018

* Based on Holmen's own forests. Calculated with the assistance of Skogforsk, The Forestry Research Institute of Sweden, and the Swedish University of Agricultural Sciences.